



## SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ALL FLT TURBO 20W50

Product code : 692173

#### Manufacturer or supplier's details

Company : Valvoline Pte. Ltd.

Address : 8 Jurong Town Hall Road, #30-01  
Singapore 609434  
Singapore

Telephone : 1-800-TEAMVAL (1-800-832-6825)

Emergency telephone number : +1-800-VALVOLINE (+1-800-825-8654), or contact your local emergency telephone number at 995

E-mail address : SDS@valvolineglobal.com

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------



# SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	64742-47-8	>= 1 -< 10
PHOSPHORODITHIOIC ACID, MIXED O,O- BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS	84605-29-8	>= 1 -< 2.5

## 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.  
Treat symptomatically.

## 5. FIREFIGHTING MEASURES

- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : carbon dioxide and carbon monoxide
- Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

## 6. ACCIDENTAL RELEASE MEASURES



# SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	64742-47-8	PEL (long term) (Mist)	5 mg/m <sup>3</sup>	SG OEL
		PEL (short term) (Mist)	10 mg/m <sup>3</sup>	SG OEL

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally



## SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

---

Hand protection	required.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: amber
Odour	: oily
Odour Threshold	: No data available
pH	: Not applicable
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 199 °C Method: Cleveland open cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: 0.03 hPa (20 °C)

---



# SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

---

	Calculated Vapor Pressure
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.8846 g/cm <sup>3</sup> (15 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 17 mm <sup>2</sup> /s ( 100 °C)
Oxidizing properties	: No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: excessive heat
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Components:

#### **DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.28 mg/l Exposure time: 4 h Test atmosphere: vapour



# SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

Method: **OECD Test Guideline 403**  
Assessment: **The substance or mixture has no acute inhalation toxicity**

Acute dermal toxicity : **LD50 (Rabbit): > 2,000 mg/kg**  
Assessment: **The substance or mixture has no acute dermal toxicity**

## PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Acute inhalation toxicity : **LC50 (Rat): > 2.3 mg/l**  
Exposure time: **4 h**  
Test atmosphere: **vapour**  
Assessment: **The substance or mixture has no acute inhalation toxicity**

Acute dermal toxicity : **LD50 (Rat): > 2,000 mg/kg**  
Assessment: **The substance or mixture has no acute dermal toxicity**

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Remarks : May cause skin irritation and/or dermatitis.

#### Components:

### DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

Assessment : **Irritating to skin.**  
Result : **Irritating to skin.**

## PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Species : **Rabbit**  
Result : **Irritating to skin.**

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Remarks : May cause irreversible eye damage.



## SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

### Components:

**PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:**

Species	:	Rabbit
Result	:	Corrosive

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

**PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:**

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

**DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:**

Genotoxicity in vitro	:	Test Type: Ames test
		Result: negative

**PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:**

Genotoxicity in vitro	:	Test Type: Ames test
		Test system: Salmonella typhimurium
		Metabolic activation: with and without metabolic activation
		Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.



# SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : No data available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

#### Components:

#### DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

#### PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.4 mg/l  
End point: Reproduction Test  
Exposure time: 28 d  
Test substance: WAF  
Method: OECD Test Guideline 211

#### Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.





# SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

## Persistence and degradability

### Components:

#### **DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:**

Biodegradability : Result: **Inherently biodegradable.**  
Biodegradation: **58.6 %**  
Exposure time: **28 d**  
Method: **OECD Test Guideline 301F**

#### **PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:**

Biodegradability : Result: **Not readily biodegradable.**  
Biodegradation: **1.5 %**  
Exposure time: **28 d**  
Method: **OECD Test Guideline 301B**

## Bioaccumulative potential

### Components:

#### **PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:**

Partition coefficient: n-octanol/water : log Pow: **0.56**

## Mobility in soil

No data available

## Other adverse effects

### Product:

Additional ecological information : No data available

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.



## SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

##### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**



## SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management  
(Hazardous Substances) Regulations

**The components of this product are reported in the following inventories:**

TCSI : On the inventory, or in compliance with the inventory  
TSCA : All substances listed as active on the TSCA inventory  
AIIC : Not in compliance with the inventory  
DSL : All components of this product are on the Canadian DSL  
  
ENCS : On the inventory, or in compliance with the inventory  
ISHL : Not in compliance with the inventory  
KECI : On the inventory, or in compliance with the inventory  
PICCS : On the inventory, or in compliance with the inventory  
IECSC : On the inventory, or in compliance with the inventory  
NZIoC : On the inventory, or in compliance with the inventory  
TECI : Not in compliance with the inventory

### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

## 16. OTHER INFORMATION

Revision Date : 26.09.2023  
Date format : dd.mm.yyyy

### **Full text of other abbreviations**

SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.



## SAFETY DATA SHEET

ALL FLT TURBO 20W50

Version: 5.0

Revision Date: 26.09.2023

Print Date: 04/22/2024

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term  
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN

Internal information : 000000137812