



CRB Monograde 10W CF

For long and healthy engine life

Description

Castrol CRB Monograde 10W CF is a diesel engine oil designed for use in heavy duty diesel engines, hydraulic systems and transmissions that specify the use of monograde diesel engine oil.

Advantages

During its working life, your engine faces challenges from combustion by-products that can form deposits, and thicken the oil. Castrol CRB Monograde 10W CF combats these issues in two ways:

1. It contains cleaning agents which displace particles that may otherwise build up on your engine surfaces, reducing deposits.
2. It also contains anti-oxidants which disrupt the chemical reactions that can lead to oil thickening.

Castrol CRB Monograde 10W CF provides protection across multiple applications to encourage long and healthy engine life.

Product Performance Claims

API CF

Typical Characteristics

| Name | Method | Units | CRB Monograde 10W CF |
|---------------------------|------------|--------------------|----------------------|
| Density @ 15C | ASTM D4052 | g/ml | 0.868 |
| Appearance | Visual | - | Clear & Bright |
| Viscosity, Kinematic 100C | ASTM D445 | mm ² /s | 6.5 |
| Viscosity Index | ASTM D2270 | None | 120 |
| Total Base Number, TBN | ASTM D2896 | mg KOH/g | 11.2 |
| Pour Point | ASTM D97 | °C | -45 |
| Viscosity, HTHS 150C | ASTM D4683 | cP | 2.28 |
| Flash Point, PMCC | ASTM D93 | °C | 211 |

Product Performance Claims

API CF

Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

CRB Monograde 10W CF

20 Aug 2018

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol (UK) Limited, PO BOX 354, Chertsey Road, Sunbury On Thames, Middlesex, TW16 9AW

www.castrol.com