

## 1. PRODUCT IDENTIFICATION AND COMPANY

Issue Date	01 Feb, 2021	
Product Name	ENERGEO ENGINE OIL ACRO 245	
Company	Filtec Pte. Ltd.	
	14 Ang Mo Kio St 63,	
	Singapore 569116	
	Tel: (65) 6483 7530 Fax: (65) 6483 7520	
Emergency Contact No.	656383 7524 (Singapore), or Local Supplier	
Emergency Contact No.	Tel: (65) 6483 7530 Fax: (65) 6483 7520	

## 2. <u>COMPOSITION</u>

Base Fluid	75 – 80 %
Additives	20 – 25 %

## 3. HAZARDSIDENTIFICATION

Human Health	Product is not hazardous
Eye Contact	Slightly irritant
Inhalation	$Repeated  and  prolonged  over {\rm} exposure  to  oil  mists  may  cause  irritation$
Ingestion	Minimal toxicity
Safety Hazards	Not classified as flammable but will burn
Environmental Hazards	Not readily biodegradable

## 4. FIRST AID

Eye Contact	Flush eyes with large amount of water until irritation subsides. If irritation persists, get medical attention
Skin Contact	Flush with large amount of water; use soap if available. Remove contaminated clothing. If irritation persists, get medical attention
Inhalation Ingestion	Remove to fresh air. If rapid recovery does not occur, get medical attention
Ingestion	Do not induce vomiting. If rapid recovery does not occur, get medical attention

## 5. <u>FIRE SAFETY</u>

**Clean--up Procedure** 

Flash Point	> 210 C
Flammable Limit	Not classified as flammable but will burn. Hazardous combustion products may include carbon monoxide, oxides of sulfur, and unidentified organic and inorganic compounds.
Autoignition Temp	> 305 C
Specific Hazards	Not classified as flammable but will burn. Hazardous combustion products may include carbon monoxide, oxides of sulfur, and unidentified organic and inorganic compounds.
Fire Fighting	Use dry chemical, foam or carbon dioxide to extinguish fire. Water may cause splattering or frothing. Use water to cool and protect fire exposed material. Wear protective equipment during fire fighting.

## 6. ACCIDENTAL RELEASE MEASURES

Stop the source of leak or release and contain spill if possible. Cover spill
with generous amount of inert absorbent material such as sand or earth.
Sweep up and remove to suitable, clearly marked containers for disposal in
accordance with local regulation.



#### **HANDLING AND STORAGE** 7.

Handling temperatures should not exceed 70°C. Wear proper safety protective equipment. Wash hands thoroughly after handling. Water
contamination and spillage should be avoided.
Storage temperatures should be maintained between 0°C to 50°C. Odorous
and toxic fumes may be evolved from decomposition of product if stored
above the safe temperature

#### **EXPOSURE CONTROL/PERSONAL PROTECTION** 8.

Exposure Limits	Threshold Limit Values for oil mist is recommended to be controlled at	
	5 mg/m <sup>3</sup> or lower for exposure of 8 hours daily.	
Ventilation	Exhaust ventilation to keep below exposure limits.	
<b>Eye Protection</b>	Wear safety glasses or face shields if splashing is likely to occur	
<b>Skin Protection</b>	Avoid repeated and prolonged contact with product. Use oil resistant gloves	
<b>Respiratory Protection</b>	Not normally required unless in confined space	
<b>Body Protection</b>	Use proper protective equipment to avoid contact. Wear PVC apron if	
	splashes are likely to occur	

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not be construed as guaranteeing any specific property of the product.

<b>TEST DESCRIPTION</b>	UNIT	METHOD	TYPICAL RESULTS
Appearance		Visual	B & C
Density @ 15 °C	g/ml	D 4052	0.8846
KV @ 40 C	cSt	D 445	113.1
KV @ 100 C	cSt	D 445	15.4
Viscosity Index		D 2270	143
TBN	mgKOH/g	D 2896	9.0

## **10. STABILITY AND REACTIVITY**

Stability	Product is stable under normal use conditions
ThermalDecomposition	Carbon monoxide, carbon dioxide, oxides of sulfur and nitrogen and organic
	and inorganic compound may evolve when subject to heat or combustion
Hazardous Polymerization	Will not occur under normal conditions
<b>Incompatible Materials</b>	Strong oxidizing agents. Strong acids

# 11. TOXICOLOGICALINFORMATION

Ba	sis

Basis	No toxicological data is available for this product. Information is provided	
	based on the additives, other components and base stock used	
Acute Exposure Oral	LD 50 expected to be above 2000 mg/kg	
Acute Exposure Skin	LD 50 expected to be above 2000 mg/kg	
Inhalation	Repeated or prolonged exposure to oil mists may cause irritation	
Eye Irritation	Slightly irritant	
Skin Irritation	Not a skin irritant unless repeated or prolonged contact	
<b>Respiratory Irritation</b>	Slight irritant	
Carcinogenicity	No data to suggest that product is carcinogenic	
Mutagenicity	No data to suggest that product is mutagenic	

2



**Other Information** 

Brief contact with used oil is not expected to have serious effect in humans if the oil is removed thoroughly by washing with soap and water. Used engine oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they present risks to health and the environment on disposal. All used oils should be handled with caution and skin contact should be avoided.

## 12. ECOLOGICALINFORMATION

Basis	No ecological data is available for this product. Information is provided
	based on the additives, other components and base stock used.
Mobility	Liquid under most environmental conditions. Floats on water. It is absorbed
	by soil and will not be mobile
Persistence/ Degradability	Not readily biodegradable. Major constituents are expected to be inherently
	biodegradable, but the product contains components that may persist in the
	environment
Bioaccumulation	Has the potential to bioaccumulate
Ecotoxicity	Poor soluble mixture. Practically nontoxic to aquatic organisms. May cause
	physical fouling of aquatic organisms

# 13. **DISPOSAL CONSIDERATION**

Product Disposal	Used or waste oil should be recycled or disposed off in conformity to local
	disposal regulations. Contact local authorities for approved disposal
	contractor.
<b>Container Disposal</b>	Empty drums should be completely drained and sent to a drum
	reconditioner or properly disposed of. Nonreusable small containers
	should be recycled or disposed of. Ensure conformity to local disposal
	regulations.

# 14. TRANSPORT INFORMATION

General Information Not dangerous for conveyance under UN, IMO, ADR/RID and IATA/ICAO codes.

## 15. REGULATORYINFORMATION

Not Applicable.

# 16. OTHER INFORMATION

The above information is based on data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. Therefore, no warranty either express or implied of merchantability or fitness for particular purpose is made with respect to the product or the information contained herein.