



1. PRODUCT IDENTIFICATION AND COMPANY

Issue Date 01 Feb, 2021

Product Name ENERGEO ENGINE OIL ACRO 255

Company Filtec Pte. Ltd.

14 Ang Mo Kio St 63, Singapore 569116

Tel: (65) 6483 7530 Fax: (65) 6483 7520

Emergency Contact No. 65---6383 7524 (Singapore), or Local Supplier

2. **COMPOSITION**

Base Fluid 75 – 85 % **Additives** 15 – 25 %

3. HAZARDSIDENTIFICATION

Human Health Product is not hazardous

Eye Contact Slightly irritant

Inhalation Repeated and prolonged over---exposure to oil mists may cause irritation

Ingestion Minimal toxicity

Safety Hazards Not classified as flammable but will burn

Environmental Hazards Not readily biodegradable

4. FIRST AID

Eye Contact Flush eyes with large amount of water until irritation subsides. If irritation

persists, get medical attention

Skin Contact Flush with large amount of water; use soap if available. Remove

contaminated clothing. If irritation persists, get medical attention

Inhalation Ingestion Remove to fresh air. If rapid recovery does not occur, get medical attention

Ingestion Do not induce vomiting. If rapid recovery does not occur, get medical

attention

5. FIRE SAFETY

Flash Point > 210 C

Flammable Limit Not classified as flammable but will burn. Hazardous combustion products

 $may \, include \, carbon \, monoxide, oxides \, of \, sulfur, and \, unidentified \, organic$

and inorganic compounds.

Autoignition Temp > 305 C

Specific Hazards Not classified as flammable but will burn. Hazardous combustion products

may include carbon monoxide, oxides of sulfur, and unidentified organic

and inorganic compounds.

Fire Fighting Use dry chemical, foam or carbon dioxide to extinguish fire. Water may

cause splattering or frothing. Use water to cool and protect fire exposed $% \left\{ 1\right\} =\left\{ 1\right\} =$

material. Wear protective equipment during fire fighting.

6. ACCIDENTAL RELEASE MEASURES

Clean--up Procedure Stop the source of leak or release and contain spill if possible. Cover spill

with generous amount of inert absorbent material such as sand or earth. Sweep up and remove to suitable, clearly marked containers for disposal in

accordance with local regulation.





7. HANDLING AND STORAGE

Handling Handling temperatures should not exceed 70°C. Wear proper safety

protective equipment. Wash hands thoroughly after handling. Water

contamination and spillage should be avoided.

Storage Storage temperatures should be maintained between 0°C to 50°C. Odorous

and toxic fumes may be evolved from decomposition of product if stored

above the safe temperature

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure Limits Threshold Limit Values for oil mist is recommended to be controlled at

5 mg/m³ or lower for exposure of 8 hours daily.

Ventilation Exhaust ventilation to keep below exposure limits.

Eye Protection Wear safety glasses or face shields if splashing is likely to occur

Skin Protection Avoid repeated and prolonged contact with product. Use oil resistant gloves

Respiratory Protection Not normally required unless in confined space

Body Protection Use proper protective equipment to avoid contact. Wear PVC apron if

splashes are likely to occur

9. PHYSICAL AND CHEMICAL PROPERTIES

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not be construed as guaranteeing any specific property of the product.

TEST DESCRIPTION	UNIT	METHOD	TYPICAL RESULTS
Appearance		Visual	B & C
Density @ 15 °C	g/ml	D 4052	0.8933
KV @ 40 C	cSt	D 445	187.0
KV @ 100 C	cSt	D 445	20.5
Viscosity Index		D 2270	128
TBN	mgKOH/g	D 2896	9.0

10. STABILITY AND REACTIVITY

Stability Product is stable under normal use conditions

Thermal Decomposition Carbon monoxide, carbon dioxide, oxides of sulfur and nitrogen and organic

and inorganic compound may evolve when subject to heat or combustion

HazardousPolymerizationWill not occur under normal conditionsIncompatible MaterialsStrong oxidizing agents. Strong acids

11. TOXICOLOGICALINFORMATION

Basis No toxicological data is available for this product. Information is provided

based on the additives, other components and base stock used

Acute Exposure Oral LD 50 expected to be above 2000 mg/kg
Acute Exposure Skin LD 50 expected to be above 2000 mg/kg

Inhalation Repeated or prolonged exposure to oil mists may cause irritation

Eye Irritation Slightly irritant

Skin Irritation Not a skin irritant unless repeated or prolonged contact

Respiratory Irritation Slight irritant

CarcinogenicityNo data to suggest that product is carcinogenicMutagenicityNo data to suggest that product is mutagenic





Other Information Brief contact with used oil is not expected to have serious effect in humans

if the oil is removed thoroughly by washing with soap and water. Used engine oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they present risks to health and the environment on disposal. All used oils

should be handled with caution and skin contact should be avoided.

12. ECOLOGICALINFORMATION

Basis No ecological data is available for this product. Information is provided

based on the additives, other components and base stock used.

Mobility Liquid under most environmental conditions. Floats on water. It is absorbed

by soil and will not be mobile $% \left\{ \left\{ 1\right\} \right\} =\left\{ 1\right\} =\left\{ 1\right$

Persistence/ Degradability Not readily biodegradable. Major constituents are expected to be inherently

biodegradable, but the product contains components that may persist in the

environment

Bioaccumulation Has the potential to bioaccumulate

Ecotoxicity Poor soluble mixture. Practically non---toxic to aquatic organisms. May cause

physical fouling of aquatic organisms

13. <u>DISPOSAL CONSIDERATION</u>

Product Disposal Used or waste oil should be recycled or disposed off in conformity to local

disposal regulations. Contact local authorities for approved disposal

contractor.

Container Disposal Empty drums should be completely drained and sent to a drum

reconditioner or properly disposed of. Non---reusable small containers should be recycled or disposed of. Ensure conformity to local disposal

regulations.

14. TRANSPORTINFORMATION

General Information Not dangerous for conveyance under UN, IMO, ADR/RID and IATA/ICAO codes.

15. REGULATORYINFORMATION

Not Applicable.

16. OTHER INFORMATION

The above information is based on data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. Therefore, no warranty either express or implied of merchantability or fitness for particular purpose is made with respect to the product or the information contained herein.